



Full Face Mask

TR 2002 BN

Mod. P/N 113010000

Full Face Mask, "Double Use", it can operate in Positive or Negative pressure mode. A special mechanical device senses the type of device connected and in case of a PP SCBA it pre-loads valves. The mask is made of:

- Face blank with double revert seal, ergonomic and bellows-like
- Visor, panoramic and wide visibility
- Group that holds in one single body the exhale membrane, the gasket/valve holder and the exhale membrane
- Inner nose cup
- Head harness, five arms
- Neck strap

The mask can be used with SPASCIANI positive pressure SCBAs provided with type BN snap-in connector to **DIN 58600** (with the exception of model RN/BN 1603 T1). The mask TR 2002 BN can also be used with negative pressure devices thanks to its threaded connector to **EN 148-3** (M45x3).



TECHNICAL DATA:

Breathing Resistance

Test flow	Inhalation mbar		Exhalation mbar	
	Standard Max	Measured	Standard Max	Measured
25 cycles/min x 2 l/cycle	2.5	1.30	3.0	2.5
30 l/min	0.5	0.2		
95 l/min	1.5	0.6		

Inward Leakage

Test Aerosol	Max admitted inw. leakage %	Measured Penetration % (10 subjects average)
NaCl	0.05	0.0013



Full Face Mask

TR 2002 BN
Mod. P/N 113010000

Limitations for use

The mask cannot be used with Positive Pressure devices fitted with standard connector to EN148-3 nor with other non compatible devices.

CLASSIFICATION

Full Face Mask, Class 3 to **EN 136:1998** and Directive **89/686/EEC (PPE)**.

MARKING



MATERIALS

Face Blank:	EPDM
Visor:	Polycarbonate, scratch and solvent resistant
Head harness:	EPDM
Nose Cup:	TPE
Neck strap:	PVC

STORAGE:

Store at temperatures between -20 and +50 °C and RH <80%

WEIGHT

630 g (1,39 lb) approximately

DIMENSIONS/PACKAGING

The mask is delivered in a PE bag into a single carton, dimensions 250x190x140 mm.

For more information please check the notes along with the products or the ones published on the website: www.spasciani.com

NOTE: SPASCIANI SpA does not take any responsibility for any possible and unintentional mistake and reserve the faculty of modify materials and technical characteristics of its products at any time and without any notice.