



Full Face Mask

TR 2002 A**Mod. P/N 113000000**

Full Face Mask, Positive Pressure, with threaded connector to EN 148-3 (M45x3) made of:

- Face blank with double revert seal, ergonomic and bellows-like
- Visor, panoramic and wide visibility
- Group that holds in one single body the exhale membrane, the gasket/valve holder and the exhale membrane
- Inner nose cup
- Head harness, five arms
- Neck strap

The mask can be used with SPASCIANI positive pressure SCBAs provided with type A threaded connector to EN **148-3** (M45x3) (except models T1).

**TECHNICAL DATA:****Breathing Resistance**

Test flow	Inhalation mbar		Exhalation mbar	
	Standard Max	Measured	Standard Max	Measured
40 cycles/min x 2.5 l/cycle	3.5	2.7	10.0	7.3
25 cycles/min x 2 l/cycle			7.0	5.5
10 l/min			4.2	4.6

Inward Leakage

Test Aerosol	Max admitted inv. leakage %	Measured Penetration % (10 subjects average)
NaCl	0.05	0.0013

Limitations for use

The mask cannot be used with filters and other negative pressure devices.

CLASSIFICATION

Full Face Mask, **Class 3** to **EN 136:1998** and Directive **89/686/EEC (PPE)**.

MARKING



Full Face Mask

TR 2002 A
Mod. P/N 113000000

MATERIALS

Face Blank:	EPDM
Visor:	Polycarbonate, scratch and solvent resistant
Head harness:	EPDM
Nose Cup:	TPE
Neck strap:	PVC

STORAGE

Store at temperatures between -20 and +50 °C and RH <80%

WEIGHT

630 g (1,39 lb) approximately

DIMENSIONS/PACKAGING

The mask is delivered in a PE bag into a single carton, dimensions 250 x 190 x 140 mm.

For more information please check the notes along with the products or the ones published on the website: www.spasciani.com

NOTE: SPASCIANI SpA does not take any responsibility for any possible and unintentional mistake and reserve the faculty of modify materials and technical characteristics of its products at any time and without any notice.